| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|---|---|---------------------|---------|------------------|
| 1.2 | 741 | 709/245.ccls. | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/28 17:54 |
| L3 | 1773 | (709/219).CCLS. | USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/28 17:54 |
| L4 | 2595 | (709/203):CCLS. | USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/28 17:54 |
| L5 | 4372 | L2 or L3 or L4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/28 17:54 |
| L6 | 286 | (location\$4 near3 dependant\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/28 17:55 |
| L7 | 0 | (location\$4 near3 dependant\$4) and send\$4 adj4 content\$2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/28 17:55 |
| S1 | 2107 | name and address and "telephone number" and (e\$mail) | USPAT; EPO; DERWENT; IBM_TDB | ŌR | OFF | 2004/04/28 15:10 |
| S2 | 1481 | name with address and "telephone number" and (e\$mail) | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/28 15:10 |
| S3 | 719 | name with address with "telephone number" and (e\$mail) | USPAT; EPO; DERWENT; IBM_TDB | OR - | OFF | 2004/04/28 15:10 |
| S4 | 383 | name with address with "telephone number" with (e\$mail) | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/28 15:10 |
| S5 | 416 | name same address with "telephone number" with (e\$mail) | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/28 15:10 |

| S6 | 383 | name with address with "telephone number" with (e\$mail) | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/28 15:10 |
|-----|------|--|---|----|-----|------------------|
| S7 | 12 | name with address with "telephone number" with (e\$mail) and (longitude or latitude) | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/28 15:11 |
| S8 | 10 | cookie same (latitude or longitude) | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/28 17:40 |
| S9 | 606 | 709/245.ccls. | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/21 17:23 |
| S10 | 3497 | "spatial location" | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/19 13:36 |
| S11 | 6 | 709/245.ccls. and (GPS or "global position system" or "spatial location") | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/19 16:14 |
| S12 | 1643 | 709/217.ccls. | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/19 14:41 |
| S13 | 1450 | (709/219).CCLS. | USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/27 20:45 |
| S14 | 2103 | (709/203).CCLS. | USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/19 14:41 |
| S15 | 13 | 709/245.ccls. and 709/217.ccls. and ((709/219).CCLS.) and ((709/203). CCLS.) | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/19 14:44 |
| S16 | 39 | 709/217.ccls. and (GPS or "global position system" or "spatial location") | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/19 16:14 |
| S17 | 31 | ((709/203).CCLS.) and (GPS or "global position system" or "spatial location") | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/19 14:47 |

| | , | | | | | |
|-----|------|---|---------------------------------------|-----------|-----|---------------------------------------|
| S18 | 19 | ((709/219).CCLS.) and (GPS or "global position system" or "spatial location") | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/19 14:47 |
| S19 | 1040 | 701/213.ccls. | USPAT; EPO; | OR | OFF | 2004/04/19 16:14 |
| , | * * | | DERWENT; IBM_TDB | e i jaran | | |
| S20 | 992 | 701/213.ccls. and (GPS or "global position system" or "spatial location") | USPAT; EPO; DERWENT; IBM_TDB | OR . | OFF | 2004/04/19 16:15 |
| S21 | 40 | 701/213.ccls. and (GPS or "global position system" or "spatial | USPAT; | OR | OFF | 2004/04/19 16:22 |
| | | location") and (calculat\$4 or determin\$5) adj4 (speed or velocity) with (direction\$2) | EPO; DERWENT; IBM_TDB | | | |
| S22 | 0 | 701/213.ccls. and (GPS or "global position system" or "spatial location") and (calculat\$4 or determin\$5) adj4 (speed or velocity) with (direction\$2) and "provide service" | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/21 18:06 |
| S23 | 370 | (701/214).CCLS. | USPAT; | OR | OFF | 2004/04/19 16:23 |
| 1 - | | | USOCR; EPO; DERWENT; | | | |
| CD4 | 275 | (701/31E) CCI C | IBM_TDB USPAT; | OR | OFF | 2004/04/19 16:23 |
| S24 | 2/5 | (701/215).CCLS. | USOCR; EPO; DERWENT; IBM_TDB | OK . | OFF | 2004/04/19 10.23 |
| S25 | 106 | (701/216).CCLS. | USPAT; | OR | OFF | 2004/04/19 16:23 |
| | | | USOCR; EPO; | | | |
| | - | | DERWENT; IBM_TDB | 191 | | * * * * * * * * * * * * * * * * * * * |
| S26 | 2 | latitude and longitude with cookie\$2 | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/21 17:24 |
| S27 | 702 | latitude and longitude and server\$2 | USPAT; | OR | OFF | 2004/04/21 17:24 |
| | | and service\$2 | EPO; DERWENT; IBM_TDB | | | |
| S28 | 7 | latitude and longitude and server\$2 and service\$2 and "device configuration" | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/21 17:31 |

| S29 | 13 | latitude and longitude and ("device configuration" or "configuration request") | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/21 17:34 |
|-----|----------|---|---------------------------------------|----|-----|------------------|
| S30 | 2 | latitude and longitude and ("configuration request") | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/21 17:35 |
| S31 | 679 | latitude and longitude and (configur\$6) with (device\$2 or request\$4) | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/21 17:35 |
| S32 | 267 | latitude and longitude and (configur\$6) with (device\$2 or request\$4) and (request\$4 adj3 (information\$2 or data\$2 or service\$2)) | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/21 17:36 |
| S33 | 143 | latitude and longitude and (configuration) with (device\$2 or request\$4) and (request\$4 adj3 (information\$2 or data\$2 or service\$2)) | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/21 17:43 |
| S34 | 93 | latitude and longitude and (configuration) with (device\$2 or request\$4) and (request\$4 adj3 (information\$2 or data\$2 or service\$2)) and ("709"/ or "705"/ or "701"/ or "707"/) | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/21-17:43 |
| S35 | . 86 | latitude and longitude and (configuration) with (device\$2 or request\$4) and (request\$4 adj3 (information\$2 or data\$2 or service\$2)) and ("709"/ or "705"/ or "701"/) | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/28 15:31 |
| S36 | 70 | latitude and longitude and (configuration) with (device\$2 or request\$4) and (request\$4 adj3 (information\$2 or data\$2 or service\$2)) and ("709"/ or "705"/ or "701"/) and (rout\$4 or rerout\$4) | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/21 17:48 |
| S37 | 66 | latitude and longitude and (configuration) with (device\$2 or request\$4) and (request\$4 adj3 (information\$2 or data\$2 or service\$2)) and ("709"/ or "705"/ or "701"/) and (route or reroute) | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/28 15:31 |
| S38 | 6078 | (calculat\$4 or determin\$4) adj4 (speed or velocity) with direction | USPAT; EPO; DERWENT; | OR | OFF | 2004/04/21 18:07 |
| L | <u> </u> | | IBM_TDB | L | | |

| S39 | 1852 | (calculat\$4 or determin\$4) adj1 (speed or velocity) with direction | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/21 18:08 |
|-----|-------|--|---------------------------------------|--------|-----|------------------|
| S40 | 125 | (calculat\$4 or determin\$4) adj1 (speed or velocity) with direction | USPAT; EPO; | OR | OFF | 2004/04/21 18:22 |
| | 9 (3) | and (GPS or longitude or latitude or "spatial location" or "spatial coordinate") | DERWENT; IBM_TDB | | | |
| S41 | 9 | (calculat\$4 or determin\$4) adj1 (speed or velocity) with direction and (GPS or longitude or latitude or "spatial location" or "spatial coordinate") and server | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/21 18:09 |
| S42 | 1826 | (rerout\$4 or rout\$4) adj3 configuration | USPAT; EPO; | OR | OFF | 2004/04/27 19:28 |
| * | | | DERWENT; IBM_TDB | N N N | | ** |
| S43 | 2 | (rerout\$4 or rout\$4) adj3 configuration adj2 request | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/27 19:28 |
| S44 | 71 | latitude and longitude and | USPAT; | OR | OFF | 2004/04/27 19:52 |
| | | (configuration) with (device\$2 or request\$4) and (request\$4 adj3 | EPO; DERWENT; | y et e | | |
| | | (information\$2 or data\$2 or service\$2)) and ("709"/ or "705"/ or "701"/) and (rout\$4 or rerout\$\$) | IBM_TDB | | | |
| S45 | 528 | "multiple server" | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/27 19:53 |
| S46 | - 1 | "multiple server" and configuration | USPAT; | OR | OFF | 2004/04/27 19:55 |
| , - | | adj2 request | EPO; DERWENT; IBM_TDB | | | |
| S47 | 280 | "multiple server" and configuration | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/27 19:56 |
| S48 | 8024 | identifier with device | USPAT; EPO; | OR | OFF | 2004/04/27 20:46 |
| | a a | | DERWENT; IBM_TDB | | | |
| S49 | 163 | identifier with device and (longitude or latitude or "spatial location") | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/27 20:46 |

| | · · · · · · · · · · · · · · · · · · · | | | | | |
|-----|---------------------------------------|--|---------------------------------------|----|---------|------------------|
| S50 | 108 | identifier with device and (longitude or latitude or "spatial location") and updat\$4 | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/27 20:58 |
| S51 | 9 | identifier with device and (longitude or latitude or "spatial location") and updat\$4 adj1 database | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/27 20:59 |
| S52 | 64814 | device with identif\$4 | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/28 10:15 |
| S53 | 73508 | device\$2 with identif\$4 | USPAT, | OR | OFF | 2004/04/28 10:15 |
| | | | EPO; DERWENT; | | - | |
| ** | 00 | | IBM_TDB | 1 | | |
| S54 | 1133 | device\$2 with identif\$4 and (longitude or latitude or "spatial location") | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/28 10:15 |
| S55 | 156 | device\$2 with identif\$4 and | USPAT; | OR | OFF | 2004/04/28 10:16 |
| | | (longitude or latitude or "spatial location") and ("709"/ or "705"/ or | EPO; DERWENT; | | | |
| | | "707"/) | IBM_TDB | | | |
| S56 | 77 | device\$2 with identif\$4 and (longitude or latitude or "spatial location") and ("709"/ or "705"/ or "707"/).ccls. | USPAT; EPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/28 10:16 |
| S57 | 2 | "6629136":pn. | USPAT; | OR | OFF | 2004/04/28 11:22 |
| 3 | | | EPO; DERWENT; IBM_TDB | | Yes (C) | |